
KNAPP®
connectors.com




# Connecting Systems

for interior and exterior finishing and wood structures

patented by
KNAPP






## FIYU FAST

- Tongue-and-Groove Connector System
- Provides immediate stability and secure holding power
- High clamping force and 100% precise fit
- Demountable
- Self-clamping and locking
- Available in 2 different sizes
- For 16 mm material thickness and above
- For 14 mm oscillating groove milling
- Use as bonding aid, when gluing with KNAPP PU+ adhesive

**FIYU FAST**
+ Grub screw M6×12 mm | Art.-No.: Z428 (optional)
**Art.-No.: K855**






## FAST

- Knock-in plug-in plastic connector
- Suitable for material thicknesses from 12 mm
- For biscuit joiners with a 20' depth setting
- Can be loaded and further processed immediately after installation
- Demountable
- Self-tightening
- Use as bonding aid, when gluing with KNAPP PU+ adhesive

**FAST**
+ 1 pc. Insert tool | Art.-No.: K049/E
**Art.-No.: K058**






## KLICK SYSTEM

- Dovetail Connector for Clip-In or Screw Fixing
- Invisibly fastens small components with compact dimensions
- Made of UV-resistant and weather-resistant plastic
- Invisible
- Demountable
- Self-tightening
- Available in 4 sizes

**KLICK**
snap connector
**Art.-No.: K045**

**sKLICK**
screw on snap connector
**Art.-No.: K048**

**KLICKpro**
groove connector
**Art.-No.: K060**



WEBSITE

For 40 years, the family-owned company Knapp has been a specialist in connection systems for timber construction.

These versatile connection solutions are not only invisible, self-tightening, and demountable, but above all they are simple and efficient to use and install. Discover the world of Knapp connectors and find inspiration for new and creative projects.






UNO 30

## UNO 30

- Stainless steel hook connector for facades, paneling and panels, infill spaces for wall, for handrails and mounting
- Use with or without locking clip
- Invisible
- Self-tightening
- Demountable

**UNO 30 garniture**
= 1 pc UNO 30, 1 pc CS-screw 5×50 mm, 3 pcs. PH-screws 3×13 mm, 1 pc. washer
**Art.-No.: K120/250**






DUO 30

## DUO 30, DUO 35

- Hook connectors for facades and windows, staircases and handrails, cabinet end panels, door and window casings
- Invisible
- Self-tightening
- Demountable
- Available in 2 sizes and 2 versions
- Available with (mL) or without (oL) lateral clearance

**DUO 30**
Duo 30 oL Art.-No.: K074
Duo 30 mL Art.-No.: K070

**DUO 35**
Duo 35 oL Art.-No.: K062
Duo 35 mL Art.-No.: K061

## DOWELS



**Quick-Set**
- 2-parts dowel connector
- Available in 4 sizes

**Art.-No.: Z5057**



**KNAPP-Dowel**
- Weather-resistant plastic dowel
- No swelling or shrinkage behavior
- No risk of breakage or splitting
- Available in 3 sizes

**Art.-No.: K067**



**Tuck**
- Spring steel dowel
- Selftightening by the tension power against the bore hole
- Available in 5 sizes

**Art.-No.: Z5052**

patented by KNAPP

## MODULAR






- Clip connector for Flat pack, RTA cabinets, case goods, and furniture.
- Efficient and ideally suited for use in mass production
- Invisible
- Self-tightening
- Demountable
- Available in numerous sizes and with additional accessories

**MODULAR 5030**
pass-through
**Art.-No.: Z5030**

**MODULAR 5032**
non-locking
**Art.-No.: Z5032**

**MODULAR 2155**
shoulder screw with 16 mm
**Art.-No.: Z2155**

## DEKLICK






- Clamp connector for interior and exterior use, acoustic ceilings, wall panels as well as furniture and interior fittings.
- Quick snap-fit assembly – vertically and horizontally
- Invisible
- Self-tightening
- Demountable
- Available in 4 sizes

**DECKLICK maxi SET (black)**
= DEKLICK maxi block + screw clamp
**Art.-No.: K012/SET250S**

## DUO SYSTEM






- Frame-connectors for Furniture frames, stairs, exhibition booths, and architectural millwork.
- Invisible
- Self-tightening
- Demountable
- Available in 8 sizes

**DUO 62/15**
**Art.-No.: K036**

**DUO 90/20**
**Art.-No.: K037**

**DUO 100/15**
**Art.-No.: K055**

**27.10.2026** | KNAPP® | Z/HIGHFLYEN | Folder HIGHLIGHTS 2026 © The KNAPP® logo is a registered trademark of the trademarkowner Knapp GmbH, A-3324 Euratsfeld.
Errors and omissions excepted. Subject to change without notice. Photos: adobe.stock.com/HryhorDenys, adobe.stock.com/anymay

Knapp GmbH I Wassergasse 31 I A-3324 Euratsfeld I Tel. : +43 (0)7474 / 799 10
E-Mail : info@knapp-connectors.com I www.knapp-connectors.com/en

KNAPP connectors.com